

OME srl.
 Via Rolando Perino 72
 10080 Busano (TO)
 Tel-0124477112
 mail:info@omericambi.com

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Belle	731/731 X	28 1/2	720	6.00-9
Belle	741	32	810	23×8.5-12
Belle	751	35	885	27X10.5-15
Belle	761	35	890	10-16.5
Belle	761 XS/XP	35	890	10-16.5
Bobcat	300 FB		?	23×8.5-12
Bobcat	310		?	23×8.5-12
Bobcat	313		?	23×8.5-12
Bobcat	315		?	23×8.5-12
Bobcat	343		?	23×8.5-12
Bobcat	371		?	23×8.5-12
Bobcat	440	28 1/2	722	23×8.5-12
Bobcat	440 B	28 1/2	722	23×8.5-12
Bobcat	443	28 1/2	722	23×8.5-12
Bobcat	443 B	28 1/2	722	23×8.5-12
Bobcat	450	28 1/2	721	27×8.5-15
Bobcat	453	28 1/2	721	27×8.5-15
Bobcat	463	28 1/2	722	23×8.5-12
Bobcat	520		?	27×8.5-15
Bobcat	530		?	27×8.5-15
Bobcat	533		?	27×8.5-15
Bobcat	540		?	27×8.5-15
Bobcat	543		?	27×8.5-15
Bobcat	553 B	31	787	27×8.5-15
Bobcat	553	31	790	27×8.5-15

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Bobcat	444	?	?	10-16.5
Bobcat	500	?	?	10-16.5
Bobcat	600	?	?	10-16.5
Bobcat	610	?	?	10-16.5
Bobcat	611	?	?	10-16.5
Bobcat	620	?	?	10-16.5
Bobcat	630	?	?	10-16.5
Bobcat	631	?	?	10-16.5
Bobcat	632	?	?	10-16.5
Bobcat	641	?	?	10-16.5
Bobcat	642	?	?	10-16.5
Bobcat	645	35 1/2	899	10-16.5
Bobcat	700	?	?	10-16.5
Bobcat	720	?	?	10-16.5
Bobcat	721	?	?	10-16.5
Bobcat	722	?	?	10-16.5
Bobcat	730	?	?	10-16.5
Bobcat	731	?	?	10-16.5
Bobcat	732	?	?	10-16.5
Bobcat	741	?	?	10-16.5
Bobcat	742 B	35 1/2	899	10-16.5
Bobcat	743 B	35 1/2	899	10-16.5
Bobcat	751	35 1/2	900	10-16.5
Bobcat	753	35 1/2	900	10-16.5
Bobcat	753L	35 1/2	900	10-16.5
Bobcat	7753	40 1/2	1030	10-16.5
Bobcat	763	40 1/2	1030	10-16.5
Bobcat	773	40 1/2	1030	10-16.5
Bobcat	773(T)H	40 1/2	1030	10-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Bobcat	S 130	35 1/2	900	10-16.5
Bobcat	S 150	40 1/2	1030	10-16.5
Bobcat	S 160	40 1/2	1030	10-16.5
Bobcat	S 175	40 1/2	1030	10-16.5
Bobcat	S 185	40 1/2	1030	10-16.5
Bobcat	S 205	40 1/2	1030	10-16.5
Bobcat	S 220	49	1240	12-16.5
Bobcat	S 250	49	1240	12-16.5
Bobcat	S 300	49	1240	12-16.5
Bobcat	A 220	43 1/2	1110	12-16.5
Bobcat	A 300	49	1240	12-16.5
Bobcat	825	38	965	12-16.5
Bobcat	843	38 1/2	980	12-16.5
Bobcat	853	38 1/2	980	12-16.5
Bobcat	8853	38 1/2	980	12-16.5
Bobcat	853 H	38 1/2	980	12-16.5
Bobcat	863	43 1/2	1110	12-16.5
Bobcat	863H(F)	43 1/2	1110	12-16.5
Bobcat	873	49	1240	12-16.5
Bobcat	873H	49	1240	12-16.5
Bobcat	943	43 1/2	1102	12-16.5
Bobcat	1213		?	12-16.5
Bobcat	2000		?	12-16.5
Bobcat	2400		?	12-16.5
Bobcat	980		?	?
Bobcat	953	43 1/2	1102	14-17.5
Bobcat	963	51	1297	14-17.5
Cams	635	32	810	27×8.5-15
Cams	755	36 1/2	927	10-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Cams	865	40	1016	10-16.5
Cams	985	42	1067	12-16.5
Case	1825b	33 1/2	850	27×8.5-15
Case	1825c	33 1/2	850	27×8.5-15
Case	1835c		?	10-16.5
Case	1838		?	10-16.5
Case	1840	37	940	10-16.5
Case	1845	40 1/2	1029	12-16.5
Case	1845b	40 1/2	1029	12-16.5
Case	1845c	40 1/2	1029	12-16.5
Case	40XT	41 1/2	1050	10-16,5
Case	60XT	43 1/2	1100	12-16,5
Case	70XT	43 1/2	1100	12-16,5
Case	75XT	45	1140	10-16,5 & 12-16,5
Case	85XT	44	1120	12-16.5
Case	90XT	46	1170	12-16.5
Case	95XT	50 1/2	1280	12-16.5
Case	410	41 1/2	1050	10-16,5
Case	420	41 1/2	1050	10-16,5
Case	430	43 1/2	1100	12-16,5
Case	440	43 1/2	1100	12-16,5
Case	435	45	1140	12-16,5
Case	445	45	1140	12-16.5
Case	450	46	1170	12-16.5
Case	465	50 1/2	1280	12-16.5
Caterpillar	216	39	986	10-16.5
Caterpillar	216B	39	986	10-16.5
Caterpillar	226	39	986	10-16.5
Caterpillar	226B	39	986	10-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Caterpillar	226B HF	39	986	10-16.5
Caterpillar	228	39	986	10-16.5
Caterpillar	232B	43	1094	10-16,5
Caterpillar	242B	43	1094	12-16,5
Caterpillar	242B HF	43	1094	12-16,5
Caterpillar	236	44 1/2	1134	12-16.5
Caterpillar	236B	44 1/2	1134	12-16.5
Caterpillar	246	44 1/2	1134	12-16.5
Caterpillar	246B	44 1/2	1134	12-16.5
Caterpillar	248	44 1/2	1134	12-16.5
Caterpillar	248B	44 1/2	1134	12-16.5
Caterpillar	252	48 1/2	1228	12-16.5
Caterpillar	252B	48 1/2	1228	12-16.5
Caterpillar	262	48 1/2	1228	12-16.5
Caterpillar	262B	48 1/2	1228	12-16.5
Caterpillar	268B	48 1/2	1228	12-16.5
Daewoo	1340XL	38	960	10-16.5
Daewoo	1550XL	42	1070	10-16.5
Daewoo	2060XL	41 1/2	1050	12-16.5
Daewoo	DSL 602	37 1/2	957	10-16.5
Daewoo	DSL 702	42 1/2	1074.8	10-16.5
Daewoo	DSL 802	42	1061	12-16.5
Daewoo	DSL 902	42	1061	12-16.5
Daewoo	430	37 1/2	957	10-16.5
Daewoo	450	42	1061	12-16.5
Daewoo	440 Plus	37 1/2	957	10-16.5
Daewoo	460	42	1061	12-16.5
Eurocomach	ESK.130	31 1/2	800	27×8.5-15
Eurocomach	ESK.150.3	38	963	10-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
FAI	Panda 348	35 1/2	900	10-16.5
FAI/Komatsu	SK 04		?	23×8.5-12
FAI/Komatsu	SK 05	31 1/2	800	27×8.5-15
FAI/Komatsu	SK 510-5	32 1/2	825	27×8.5-15
FAI/Komatsu	SK 05J-2	31 1/2	800	27×8.5-15
FAI/Komatsu	SK 07	35 1/2	900	10-16.5
FAI/Komatsu	SK 07J-2	35 1/2	900	10-16.5
FAI/Komatsu	SK 714-5	37 1/2	950	10-16.5
FAI/Komatsu	SK 815-5	41 1/2	1050	10-16.5
FAI/Komatsu	SK 815-5 Turbo	41 1/2	1050	10-16.5
FAI/Komatsu	SK 818-5	41 1/2	1050	10-16.5
FAI/Komatsu	SK 820-5	41 1/2	1050	10-16.5
FAI/Komatsu	SK 09	39 1/2	997	12-16.5
FAI/Komatsu	SK 09J-2	39 1/2	997	12-16.5
FAI/Komatsu	SK 1020-5	45 1/2	1160	12-16.5
FAI/Komatsu	SK 1020-5 Turbo	45 1/2	1160	12-16.5
FAI/Komatsu	SK 1026-5 Turbo	45 1/2	1160	12-16.5
Fermecc	524	33 1/2	850	27×8.5-15
Fermecc	526	37	940	10-16.5
Fermecc	528	40 1/2	1030	12-16.5
Fermecc	550V		?	12-16.5
Fermecc	551		?	12-16.5
Fermecc	553V		?	12-16.5
FK(Fiat Kobelco)	SL30B			
FK(Fiat Kobelco)	SL35B	37 1/2	952	7,00-15
FK(Fiat Kobelco)	SL40B	37 1/2	952	10-16,5
FK(Fiat Kobelco)	SL45B	42	1067	10-16,5
FK(Fiat Kobelco)	SL55BH	42	1067	10-16,5
FK(Fiat Kobelco)	SL65B	48	1220	12-16,5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Foredil Macchine	FM 120	32	810	23×8.5-12
Foredil Macchine	FM 150	35	890	10-16.5
Gehl	1620	29	740	5.70-12
Gehl	SL 1625	29	740	23×8,5-12
Gehl	SL 1635			
Gehl	2610	32	813	5.70-15
Gehl	SL 3635 SX	34 1/2	874	27×8.5-15
Gehl	3725	34	864	?
Gehl	3825	34	864	27×8.5-15
Gehl	SL 3935 SX	36 1/2	922	10-16.5
Gehl	4515		?	10-16.5
Gehl	4610	36	914	10-16.5
Gehl	4615		?	10-16.5
Gehl	4625	37	946	10-16.5
Gehl	SL 4635 SX	37	940	10-16.5
Gehl	SL 4635 SXT/DXT	37	940	10-16.5
Gehl	4640	37 1/2	953	10-16.5
Gehl	4640 Turbo	37 1/2	953	10-16.5
Gehl	SL 4835 SXT/DXT	41	1044	10-16.5 & 12-16,5
Gehl	4840	41 1/2	1054	10-16.5
Gehl	5625	39 1/2	1003	12-16.5
Gehl	SL 5635 SXT/DXT	42	1069	12-16.5
Gehl	5640	42 1/2	1080	12-16.5
Gehl	5640 Turbo	42 1/2	1080	12-16.5
Gehl	6620	42	1067	12-16.5
Gehl	6625	42	1067	12-16.5
Gehl	SL 6635 SXT/DXT	48	1219	12-16.5
Gehl	6640	48	1219	12-16.5
Gehl	SL 7600	54 1/2	1379	12-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Gehl	SL 7610			
Gehl	SL 7800	54 1/2	1379	14-17.5
Gehl	SL 7810	55	1397	14-17.5
Hydramac	1300	34	860	10-16.5
Hydramac	1450		?	10-16.5
Hydramac	1700D	36	910	12-16.5
Hydramac	2050	42	1070	12-16,5
Hydramac	2250	42	1070	12-16.5
Hydramac	2650D	42	1070	14-17.5
Hydramac	3250D	50	1270	14-17.5
Hyundai	HSL600T			10-16.5
Hyundai	HSL610	38	970	10-16.5
Hyundai	HSL810	41	1040	12-16.5
Hyundai	HSL1500T			
John Deere	317	42.3	1074.4	10-16.5
John Deere	320	42.3	1074.4	12-16.5
John Deere	325	48.1	1221.3	12-16.5
John Deere	3252-speed	48.1	1221.3	12-16.5
John Deere	328	48.1	1221.3	14-17.5
John Deere	3282-speed	48.1	1221.3	14-17.5
John Deere	332	48.6	1235.5	14-17.5
John Deere	3322-speed	48.6	1235.5	14-17.5
John Deere	240	42 1/2	1075	10-16.5
John Deere	250	42 1/2	1075	12-16.5
John Deere	260	47 1/2	1209	14-17.5
John Deere	2602-speed	47 1/2	1209	14-17.5
John Deere	270	47 1/2	1209	14-17.5
John Deere	2702-speed	47 1/2	1209	14-17.5
John Deere	280	48 1/2	1235	14-17.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
John Deere	2802-speed	48 1/2	1235	14-17.5
John Deere	675		?	10-16.5
John Deere	4475		?	10-16.5
John Deere	5575		?	10-16.5
John Deere	6675		?	10-16.5
John Deere	7775		?	10-16.5
John Deere	8875	48 1/2	1235	12-16.5
Liberty	2865	42 1/2	1082	12-16.5
Libra	635	32	810	27×8.5-15
Libra	755	36 1/2	927	10-16.5
Libra	865	40	1016	10-16.5
Libra	985	42	1067	12-16.5
Liugong	CLG380	49	1240	12-16.5
Locust	301	29 1/2	750	10-15.0
Locust	600	40	1020	10-15.0
Locust	750	40	1020	10-15.0
Locust	453			27×8.5-15
Locust	752	40	1020	10-16,5
Locust	753	40	1020	10-16,5
Locust	853	40	1020	10-16,5
Locust	853 Speed+	40	1020	10-16,5
Locust	903	45 1/2	1150	12-16,5
Locust	903 Speed+	45 1/2	1150	12-16,5
Locust	1203	43 1/2	1100	12,5-18
Locust	1203 Speed+	43 1/2	1100	12,5-18
Locust	1203 Tellspeed	49 1/2	1260	12,5-18
Macmoter	Castoro 28	33	842	10/80-12
Mustang	920	33	838	27×8.5-15
Mustang	930 A	33	838	10-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Mustang	940	36 1/2	927	10-16.5
Mustang	960	39	991	12-16.5
Mustang	2022	34 1/2	874	10-16.5
Mustang	2032	36	915	10-16.5
Mustang	2042	36 1/2	932	10-16.5
Mustang	2044	36 1/2	932	10-16.5
Mustang	2050	38 1/2	978	10-16.5
Mustang	2050 Hi Flow	38 1/2	978	10-16.5
Mustang	2054	38 1/2	978	10-16.5
Mustang	2060	39	990	12-16.5
Mustang	2060 Hi Flow	39	990	12-16.5
Mustang	2064	41 1/2	1059	12-16.5
Mustang	2066	43	1095	12-16.5
Mustang	2070	43 1/2	1110	12-16.5
Mustang	2070 Hi Flow	43 1/2	1110	12-16.5
Mustang	2074	44 1/2	1125	12-16.5
Mustang	2076	43	1095	12-16.5
Mustang	2086	48	1219	12-16.5
Mustang	2095	54 1/2	1380	14-17.5
Mustang	2105	54 1/2	1380	14-17.5
Mustang	2099	55	1397	14-17.5
Mustang	2109	55	1397	14-17.5
Neuson	501			27×8.5-15
Neuson	701 S	35	890	10-16.5
Neuson	701 Sp	35	890	10-16.5
NewHolland	Ls 120	32	810	23×8.5-12
NewHolland	Ls 125	32	810	23×8.5-12
NewHolland	Ls 140	37 1/2	949	10-16.5
NewHolland	Ls 150	37 1/2	949	10-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
NewHolland	LS 160	42 1/2	1080	10-16.5
NewHolland	LS 170	42 1/2	1080	10-16.5
NewHolland	LS 180	47 1/2	1210	12-16.5
NewHolland	LS 185	47 1/2	1210	12-16.5
NewHolland	LS 190	51 1/2	1310	14-17,5 (12-16.5)
NewHolland	L 250	32	810	5.70-12
NewHolland	L 255	32	810	5.70-12
NewHolland	L 465	37 1/2	948	10-16.5
NewHolland	Lx 465	37 1/2	948	10-16.5
NewHolland	Lx 485	37 1/2	950	10-16.5
NewHolland	L 553		?	10-16.5
NewHolland	L 555		?	10-16.5
NewHolland	Lx 565	42 1/2	1079	10-16.5
NewHolland	L 585		?	10-16.5
NewHolland	Lx 585		?	10-16.5
NewHolland	Lx 665	42 1/2	1079	10-16.5
NewHolland	Lx 685		?	10-16.5
NewHolland	L 781		?	12-16.5
NewHolland	L 783		?	12-16.5
NewHolland	L 785		?	12-16.5
NewHolland	L 865	48	1220	12-16.5
NewHolland	Lx 865	48	1220	12-16.5
NewHolland	L 885	48	1220	12-16.5
NewHolland	Lx 885	48	1220	12-16.5
NewHolland	Lx 985	51 1/2	1310	12-16.5
Novotny	B-761	39 1/2	1000	10-16.5
Novotny	B 861 s	43 1/2	1100	10-16.5
Novotny	B 961 s	43 1/2	1100	12-16.5
Piccini	Jolly 343			27×8.5-15

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Piccini	Jolly 565			10-16.5
Piccini	Jolly 767			12-16.5
PPS	UNC 045	31 1/2	800	7-12.0
PPS	UNC 061	40	1020	10.0/75-15.3
PPS	UNC 080	40 1/2	1031	10.0/75-15.3
RamRod	561		?	10-16.5
RamRod	584		?	10-16.5
RamRod	784		?	?
Skat Trac	1300	36 1/2	930	10-16,5
Skat Trac	1500D	40	1020	10-16,5
Skat Trac	1500DX	40	1020	10-16,5
Skat Trac	1750D	40	1020	12-16.5
Skat Trac	2000D	42	1070	12-16,5
Skat Trac	2000DX	42	1070	12-16,5
Skat Trac	2300D	43 1/2	1100	12-16,5
Skat Trac	2300DX	43 1/2	1100	12-16,5
Thomas	T 83 S	33	840	5.90-15
Thomas	T85	33	840	5.90-15
Thomas	T95	33	843	8,50-15
Thomas	T 103 S		?	8.50-15?
Thomas	T105	33	843	10.50-15
Thomas	T115	33	843	10,50-15
Thomas	T 133 S	35	889	10-16.5
Thomas	T135	35	889	10-16.5
Thomas	T 135 S	35	889	10-16.5
Thomas	T 153	35	889	10-16.5
Thomas	T 173 HLS	35	889	12-16.5
Thomas	T175	39 1/2	1003	12-16.5
Thomas	T 175 Turbo	39 1/2	1000	12-16.5

COSTRUTTORE	MODELLO	PASSO (in)	PASSO (mm)	MISURE RUOTE
Thomas	T 203 HD	39 1/2	1006	12-16.5
Thomas	T205	42	1069	12-16.5
Thomas	T220	48 1/2	1238	12-16.5
Thomas	T225	45	1138	12-16.5
Thomas	T 233 HD	42 1/2	1082	12-16.5
Thomas	T 243		?	12-16.5
Thomas	T 245 Turbo	45	1137	12-16.5
Thomas	T 245 HDS	45	1137	12-16.5
Thomas	T 245 HDK	45	1137	12-16.5
Thomas	T250	48 1/2	1238	12-16.5
Thomas	T255	48 1/2	1238	12-16.5
Thomas	T320	48 1/2	1238	12-16.5
Toyota	4SDK4	28 1/2	720	5.70-12
Toyota	4SDK5	32 1/2	820	27×8.5-15
Toyota	4SDK8	36	920	10-16.5
Toyota	4SDK8-H	36	920	10-16.5
Toyota	4SDK10	40 1/2	1030	12-16.5
Vectra	Heman 175	40 1/2	1023.5	10-16.5
Vectra	Heman 190	40 1/2	1023.5	12-16.5
Volvo	MC60	36 1/2	933	10-16.5
Volvo	MC70	40 1/2	1026	10-16.5
Volvo	MC80	40	1019	12-16.5
Volvo	MC90	42	1070	12-16.5
Volvo	MC110	44	1112	12-16.5

ATTENZIONE:

Le misure riportate nella precedente tabella, sono da consultare a puro livello informativo, controllare sempre le misure prima di effettuare un ordine.